Typical Product Properties

Magnesium Compounds: Magnesium Hydroxide Powders

Magnesium Hydroxide	5100 CG Mg Hyd Powder USP	5112 Mg Hyd Powder High Density	DC Magnesium Hyd MS90
Characteristics			
Description	Bulky white powder	Bulky white powder	White to off-white granular powder
Physical			
Tapped Density (Info only)	0.68 - 0.84 g/mL		0.65 – 0.85 g/mL
Chemical			
Assay (dried @ 105 deg C for 2 hrs)	95.0 – 100.5% Mg(OH) ₂	95.0 – 100.5% Mg(OH) ₃	90.0 – 96.0% Mg(OH) ₃
Loss on Drying	NMT 2.0%	NMT 2.0%	NMT 3.0%
Loss on Ignition (LOI)	30.0 – 33.0%	30.0 – 33.0%	
Soluble Salts and Alkalies	NMT 2.0 mL of acid and NMT 10 mg residue	NMT 2.0 mL of acid and NMT 10 mg residue	
(2)(3) Lead (by ICP-MS)	NMT 1.5 ppm	NMT 1.5 ppm	
(2) Calcium @ 100%	NMT 1.5%	NMT 1.5%	
(1) Heavy Metals	NMT 20 ppm	NMT 20 ppm	
Soluble Substances			
Subs. insoluble in Acetic Acid			
Chloride			
Sulfate			
Iron			
Arsenic			
Microbial			
E. Coli	Absence	Absence	Absence
Other Notes			
	(1) These tests are on a reduced testing status.		
	(2) These tests are calculated to a dry basis.		
	This product is manufactured under cGMP conditions.		
	This product meets the	Residual Solvents specification as describe	· · · · · · · · · · · · · · · · · · ·
	This product meets the	Residual Solvents specification as describe	d in USP Chapter <467>. (3) Available with lead specific of NMT 100 ppb.



Typical Product Properties

Magnesium Compounds: Magnesium Hydroxide Powders

Magnesium Hydroxide	5200 Mg Hyd Powder USP Resusp	5200 Mg Hyd Pdr Ph. Eur Resusp	
Characteristics			
Description	White or almost white, fine, amorphous powder	Bulky white powder	
Physical			
Tapped Density (Info only)	0.60 - 0.75 g/mL	0.60 - 0.75 g/mL	
Chemical			
Assay (dried @ 105 deg C for 2 hrs)	95.0 – 100.5% Mg(OH) ₃	95.0 – 100.5% Mg(OH) ₃	
Loss on Drying	NMT 2.0%		
Loss on Ignition (LOI)	30.0 – 33.0%	29.0 – 32.5%	
Soluble Salts and Alkalies	NMT 2.0 mL of acid and NMT 10 mg residue		
(2)(3) Lead (by ICP-MS)	NMT 1.5 ppm		
(2) Calcium @ 100%	NMT 1.5%	NMT 1.5%	
(1) Heavy Metals	NMT 20 ppm	NMT 30 ppm	
Soluble Substances		NMT 2.0%	
Subs. insoluble in Acetic Acid		NMT 0.1%	
Chloride		NMT 0.1%	
Sulfate		NMT 1.0%	
Iron		NMT 0.07%	
Arsenic		NMT 4 ppm	
Microbial			
E. Coli	Absence	Absence	
Other Notes	_		
	(1) These tests are on a reduced testing status.		
	(2) These tests are calculated to a dry basis.		
	This product is manufactured under cGMP conditions.		
	This product meets the Residual Solvents specification as described in USP Chapter <467>. (4) These tests are measured at the time of release and are not indicative of stability.		



Typical Product Properties

Magnesium Compounds: Magnesium Hydroxide Powders

Magnesium Hydroxide	5300 Mg Hyd USP	5300 Mg Hyd Ph. Eur		
Characteristics				
Description	Bulky white powder	White or almost white, fine, amorphous powder		
Physical				
Tapped Density (Info only)	0.60 - 0.90 g/mL 0.60 - 0.90 g/mL			
Chemical				
Assay (dried @ 105 deg C for 2 hrs)	95.0 – 100.5% Mg(OH)₂	95.0 – 100.5% Mg(OH) ₃		
Loss on Drying	NMT 2.0%			
Loss on Ignition (LOI)	30.0-33.0%	29.0 – 32.5%		
Soluble Salts and Alkalies	NMT 2.0 mL of acid and NMT 10 mg residue			
(2)(3) Lead (by ICP-MS)	NMT 1.5 ppm			
⁽²⁾ Calcium @ 100%	NMT 1.5%	NMT 1.5%		
(1) Heavy Metals	NMT 20 ppm	NMT 30 ppm		
Soluble Substances		NMT 2.0%		
Subs. insoluble in Acetic Acid		NMT 0.1%		
Chloride		NMT 0.1%		
Sulfate		NMT 1.0%		
Iron		NMT 0.07%		
Arsenic		NMT 4 ppm		
Microbial				
E. Coli	Absence	Absence		
Other Notes				
	(1) These tests are on a	(1) These tests are on a reduced testing status.		
	-	(2) These tests are calculated to a dry basis.		
	This product is manufactured under cGMP conditions. This product meets the Residual Solvents specification as described in USP Chapter <467>.			







www.spipharma.com

Americas

SPI Pharma, Inc. Rockwood Office Park 503 Carr Rd., Suite 210 Wilmington, DE 19809

T 302 576 8600 800 789 9755 Ext. 8600 F 302 576 8567

Europe/Middle East/ Africa

SPI Pharma SAS Chemin du Vallon du Maire 13240 Septemes-Les Vallons France

T 33 4 9196 3600 F 33 4 9196 3633

Asia/Pacific

SPI Pharma, Inc - India Branch 21 B, Veerasandra Industrial Area Hosur Road, Bangalore – 560100 Karnataka, India

T 91 80 3027 0005 F 91 80 3027 0050

Australia Distribution Company

Anzchem 1 Braidwood Street Enfield NSW 2136 Australia

T 61 2 9475 2200 F 61 2 9475 2211



SPI-AA-DCCC-4000-03201500 03-2015 | All rights reserved

© SPI Pharma 2015. All trademarks are the property of SPI Pharma.

The information contained in this document is proprietary to SPI Pharma unless otherwise noted and may not be used or disseminated inappropriately. The information and recommendations contained herein are to the best of SPI Pharma, Inc.'s knowledge reliable and accurate. Any recommendations are made without warranty, either implied or expressed, due to the variations in equipment, conditions, and methods which may be used in commercially processing the products. No warranties of any kind are made, express or implied, including those of merchantability and fitness for particular purpose, other than the products conform to current standard specifications. SPI Pharma, Inc. makes no warranty that the use of the products or formulations provided by SPI Pharma, Inc. will not infringe any trademark, trade name, copyright, patent or other rights held by any third party when used in customer's application. SPI Pharma, Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages.